

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	(bottom with top near3 module\$1) and (@rlad<"20010612" @ad<"20010612")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/28 15:01
L2	13	(bottom near2 top near3 module\$1 btop) and (@rlad<"20010612" @ad<"20010612")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/28 15:01
L3	2	"7689710".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/28 15:27
L11	9	("20020056006" "20020103857" "20020143954" "5774660" "6006264" "6088728" "6742044" "6775692" "6826613").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/07/28 15:47
L12	0	("7689710").URPN.	USPAT	OR	ON	2010/07/28 15:47
L14	2	(handoff near2 protocol same load\$4 same2 top) and (@rlad<"20010612" @ad<"20010612")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/28 15:48
L15	21	(top and pai and locality and cluster) and (@rlad<"20010612" @ad<"20010612")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/28 15:49

S1	5	top adj state adj migration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 16:13
S2	15	btcp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 16:03
S3	329	streams with top with ip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 16:03
S4	30	streams with based with top with ip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 16:03
S5	29	http with request with load with balancing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 15:15
S6	108	http with request same load with balancing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 15:15
S7	158	http with request same load with balanc\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 15:17
S8	74	(http with request same load with balanc\$) and @ad< "20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/19 22:39

S9	37	load adj balanc\$ same (forward\$) and syn and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/19 23:10
S10	668	(forward\$3 with back\$4 with server) and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 19:02
S11	148	(forward\$3 with back\$4 with server and load adj balanc\$3) and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/19 22:41
S12	20	(forward\$3 with back\$1end with server and load adj balanc\$3) and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/23 23:23
S13	64	load adj balanc\$4 and syn with ack and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/19 23:15
S14	15	load adj balanc\$4 and syn with (ack and sequence) and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/19 23:22
S15	302	"5774660".URPN.	USPAT	OR	OFF	2004/09/19 23:22
S16	292	"5774660".URPN. and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/19 23:22

S17	34	("5774660".URPN. and @ad<"20010612") and syn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/19 23:35
S18	8935	709/201,227,223,232,235,238,244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/19 23:36
S19	107	((forward\$3 with back\$4 with server) and @ad<"20010612") and 709/201,227,223,232,235,238,244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/19 23:36
S20	1	((forward\$3 with back\$4 with server) and @ad<"20010612") and 709/244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/19 23:36
S21	4	tcp with state with migrat\$4 and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 02:12
S22	8	Brendel near2 Juergen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 16:14
S23	13	"6182139".URPN.	USPAT	OR	OFF	2004/09/20 02:13
S24	0	(tcp adj) handoff same stack) and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 09:15

S25	8	(tcp adj handoff) and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/13 19:02
S26	1	(tcp with handoff with module\$1) and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/07 15:14
S27	33	(tcp with migration) and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 09:16
S28	1229	(tcp with module\$1) and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 09:17
S29	542	(tcp near3 module\$1) and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 09:17
S30	2	(bottom with tcp near3 module\$1) and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/23 23:23
S31	2	"6760775".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 13:20
S32	1	(tcp with handoff with module\$1) and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/23 23:23

S33	4	("6775692").URPN.	USPAT	OR	OFF	2006/04/02 17:42
S34	0	"20020188740"	USPAT	OR	OFF	2006/04/02 17:43
S35	2	"2002/0188740"	USPAT	OR	OFF	2006/04/02 17:43
S36	2	"2002/0188740"	US-PGPUB; USPAT	OR	OFF	2006/04/02 17:43
S37	1	"20020188740"	US-PGPUB; USPAT	OR	OFF	2006/04/02 17:43
S38	2	"5774660".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 22:39
S39	403	("5774660").URPN.	USPAT	OR	ON	2006/07/23 23:15
S40	5	("6775692").URPN.	USPAT	OR	ON	2006/07/23 23:16
S41	24	(forward\$3 with back\$1end with server and load adj balanc\$3) and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/23 23:23
S42	2	(bottom with top near3 module\$1) and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/07 15:14
S43	1	(tcp with handoff with module\$1) and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 16:13
S44	430	("5774660").URPN.	USPAT	OR	ON	2007/01/07 15:12

S45	430	("5774660").URPN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 15:12
S46	68	("5774660").URPN. and @pd> "20051231"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 15:13
S47	64	("5774660").URPN. and @pd> "20060202"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 15:13
S48	0	("5774660").URPN. and @pd> "20060202" and utop	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 15:13
S49	0	("5774660").URPN. and utop	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 15:13
S50	0	("5774660").URPN. and btcp	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/07 15:13
S51	2	(bottom with tcp near3 module\$1) and @ad< "20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 16:14
S52	1	(tcp with handoff with module\$1) and @ad< "20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/07 15:14

S53	10	(tcp with handoff with module\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/07 15:14
S54	2	("2002/0188740").URPN.	USPAT	OR	ON	2007/01/07 15:15
S55	1	(back\$1end and front\$1end same tcp near3 module\$1) and @ad< "20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 16:13
S56	1	("2002/0188730").URPN.	USPAT	OR	ON	2007/01/07 18:10
S57	443	("5774660").URPN.	USPAT	OR	ON	2007/04/28 16:11
S58	9	("6775692").URPN.	USPAT	OR	ON	2007/04/28 16:13
S59	8	tcp adj state adj migration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 16:13
S60	1	(tcp with handoff with module\$1) and @ad< "20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 16:13
S61	1	(back\$1end and front\$1end same tcp near3 module\$1) and @ad< "20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 16:14
S62	2	(bottom with tcp near3 module\$1) and @ad< "20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 16:14

S63	2	(bottom with ip near3 module\$1) and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 16:14
S64	19	Brendel near2 Juergen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 16:15
S65	1	"6760775".pn.	USPAT	OR	OFF	2008/04/28 00:20
S66	1	"6760775".pn.	USPAT	OR	OFF	2008/04/28 08:21
S67	36	("6760775").URPN.	USPAT	OR	ON	2008/04/28 08:21
S68	1	"6502135".pn.	USPAT	OR	OFF	2008/04/28 08:32
S69	2	(bottom with top near3 module\$1) and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/28 08:38
S70	2	(bottom with ip near3 module\$1) and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/28 08:38
S71	8	tcp adj state adj migration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/28 08:38
S72	1	(tcp with handoff with module\$1) and @ad<"20010612"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/28 08:40

S73	17	(US-20010042200-\$ or US-20020056006-\$ or US-20030237016-\$ or US-20020116475-\$ or US-20020103857-\$).did. or (US-6775692-\$ or US-6601101-\$ or US-6411986-\$ or US-5774660-\$ or US-6098093-\$ or US-6779033-\$ or US-6742044-\$ or US-6725253-\$ or US-6006264-\$ or US-6070191-\$ or US-6614808-\$ or US-6760775-\$).did.	US-PGPUB; USPAT	OR	ON	2008/04/28 08:40
S74	15	("6775692").URPN.	USPAT	OR	ON	2008/04/28 08:40
S75	1	"6760775".pn.	USPAT	OR	OFF	2009/09/10 11:48
S76	3	"20030005122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/29 15:57
S77	1	"5774660".pn.	USPAT	OR	OFF	2009/10/01 10:12
S78	7	(bottom with top near3 module\$1) and (@rlad<"20010612" @ad<"20010612")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 10:13
S79	12	(bottom near2 top near3 module\$1 btcp) and (@rlad<"20010612" @ad<"20010612")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 10:13
S80	1	(top adj handoff with protocol) and (@rlad<"20010612" @ad<"20010612")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 10:18
S81	2	"20020188740"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 10:50
S82	5	("2002/0188740").URPN.	USPAT	OR	ON	2009/10/01 10:50

S83	117	(tcp and pai) and (@rlad<"20010612" @ad<"20010612")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 11:08
S84	18	(tcp and pai and locality and cluster) and (@rlad<"20010612" @ad<"20010612")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/01 11:08
S85	25850	709/201,227,228,223,232,235,238,244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 14:00
S86	31309	709/201,227,228,223,232,235,238,244,219,237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 14:05
S87	14364	S86 and (@rlad<"20010612" @ad<"20010612")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 14:06
S88	37	(tcp and pai) and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 14:06
S89	32109	709/201,227,228,223,222,232,235,238,244,219,237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 14:07
S90	18215	709/227,228,223,222,237.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/06 14:08

S91	7742	S90 and (@riad<"20010612" @ad<"20010612")	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2009/11/06 14:08
S101	1	"7689710".pn.	USPAT	OR	OFF	2010/04/15 14:44
S102	0	("7689710").URPN.	USPAT	OR	ON	2010/04/16 15:30
S103	9	("20020056006" "20020103857" "20020143954" "5774660" "6006264" "6088728" "6742044" "6775692" "6826613").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/04/16 15:30
S104	21	("6775692").URPN.	USPAT	OR	ON	2010/04/16 16:00
S105	8	(bottom with top near3 module\$1) and (@riad<"20010612" @ad<"20010612")	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2010/04/16 16:02
S106	2	(handoff near2 protocol same load\$4 same2 top) and (@riad<"20010612" @ad<"20010612")	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2010/04/16 16:03
S107	54	("6826613").URPN.	USPAT	OR	ON	2010/04/16 16:04
S108	23705873	6and (@riad<"20010612" @ad<"20010612")	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2010/04/16 16:04
S109	19	S107 and (@riad<"20010612" @ad<"20010612")	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2010/04/16 16:04
S110	117	("6601101").URPN.	USPAT	OR	ON	2010/04/16 16:06

S111	52	S110 and (@rlad<"20010612" @ad<"20010612")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/16 16:07
S112	39	S111 not S109	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/16 16:07
S113	20	(locality near2 aware near2 request near2 distribut\$3) and (@rlad<"20010612" @ad<"20010612")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/16 16:13
S114	66	(locality near2 aware near2 request near2 distribut\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/04/16 16:16

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	12512	709/237,222,223,227,228.ccls.	USPAT; UPAD	OR	ON	2010/07/28 15:39
L5	1	709/237,222,223,227,228.ccls. and btop	USPAT; UPAD	OR	ON	2010/07/28 15:39
L6	16	709/237,222,223,227,228.ccls. and (hand\$3 migrat\$3) near3 top near2 state	USPAT; UPAD	OR	ON	2010/07/28 15:39
L7	131	("6601101").URPN.	USPAT	OR	ON	2010/07/28 15:41

L8	90	"20010029544" "20020069245" "20020104017" "20030014569" "20030018403" "20030028614" "20030172149" "20030225834" "20040068563" "20040117813" "20040220933" "20050042591" "20050110768" "20050149682" "20050193017" "20050193189" "20060004935" "20060010287" "20060045130" "20060067356" "20060069884" "20070008988" "5329619" "5426427" "5463772" "5513314" "5524247" "5566331" "5721818" "5774660" "5781550" "5812930" "5838916" "5889942" "5987523" "5987627" "5999808" "6047307" "6085234" "6128644" "6128690" "6167490" "6175869" "6216202" "6314465" "6317775" "6327594" "6345300" "6347095" "6356915" "6360265" "6366988" "6389432" "6393569" "6404766" "6421753" "6449647" "6470389" "6510164" "6518965" "6523066" "6529996" "6539446" "6578111" "6594677" "6598068" "6609167" "6647016" "6701370" "6732104" "6760783" "6775704" "6807581" "6823458" "6834326" "6894981" "6941576" "7010303" "7069312" "7069350" "7076690" "7114083" "7124128" "7133361" "7249191" "7251704" "7254578" "7277955" "7376133" "7383229").PN.	US-PGPUB; USPAT	OR	ON	2010/07/28 15:41
L9	10	709/237,222,223,227,228.ccls. and (dlkm dynamic\$4 near2 load\$4 with kernel)	USPAT; UPAD	OR	ON	2010/07/28 15:43
L10	0	709/237,222,223,227,228.ccls. and (utcp)	USPAT; UPAD	OR	ON	2010/07/28 15:47
L13	7	709/227,228,223,222,237.ccls. and (upper lower) adj (tcp)	USPAT; UPAD	OR	ON	2010/07/28 15:48
S92	11044	709/227,228,223,222,237.ccls.	USPAT; UPAD	OR	OFF	2009/11/06 14:09
S93	32	709/227,228,223,222,237.ccls. and tcp with (hand\$3 and off)	USPAT; UPAD	OR	ON	2009/11/06 14:09
S94	7	709/227,228,223,222,237.ccls. and tcp with (hand\$3 near2 off)	USPAT; UPAD	OR	ON	2009/11/06 14:10
S95	0	709/227,228,223,222,237.ccls. and tcp AND BTCP	USPAT; UPAD	OR	ON	2009/11/06 14:16
S96	165	709/227,228,223,222,237.ccls. and tcp with lower	USPAT; UPAD	OR	ON	2009/11/06 14:16
S97	268	709/227,228,223,222,237.ccls. and tcp with (upper lower)	USPAT; UPAD	OR	ON	2009/11/06 14:17
S98	54	709/227,228,223,222,237.ccls. and tcp near2 (upper lower)	USPAT; UPAD	OR	ON	2009/11/06 14:17
S99	38	709/227,228,223,222,237.ccls. and (upper lower) adj (tcp ip)	USPAT; UPAD	OR	ON	2009/11/06 14:19
S100	6	709/227,228,223,222,237.ccls. and (upper lower) adj (tcp)	USPAT; UPAD	OR	ON	2009/11/06 14:20

7/ 28/ 2010 3:49:38 PM

C:\Documents and Settings\GTodd\My Documents\EAST Workspaces\09880631 09880632.wsp